



## 胰羧肽酶 B1 抗体

产品货号 : mlR6036

英文名称 : Carboxypeptidase B1

中文名称 : 胰羧肽酶 B1 抗体

别名 : Carboxypeptidase B1; CarboxypeptidaseB; CarboxypeptidaseB1; CP B1; CPB 1; CPB; CPB1; DKFZp779K1333; Pancreas specific protein; Pancreatic carboxypeptidase B1; PASP; PCPB; Procarboxypeptidase B pancreatic; CBPB1\_HUMAN.

研究领域 : 细胞生物 免疫学 信号转导

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat, Dog, Pig, Horse, Rabbit,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.



optimal dilutions/concentrations should be determined by the end user.

分子量： 47kDa

细胞定位： 分泌型蛋白

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human Carboxypeptidase B1:251-350/417

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed



**产品介绍 : background:**

Carboxypeptidase catalyzes the hydrolysis of the basic amino acids lysine, arginine and ornithine from the C terminal position in polypeptides. It occurs as a zymogen in the pancreas in most vertebrates.

**Subcellular Location:**

Secreted.

**Tissue Specificity:**

Pancreas.

**Similarity:**

Belongs to the peptidase M14 family.

**SWISS:**

P15086

**Gene ID:**

1360

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

**产品图片 :**

