

## 短卷曲螺旋蛋白 SCOC 抗体

产品货号： mlR17296

英文名称： SCOC

中文名称： 短卷曲螺旋蛋白 SCOC 抗体

别名： HRIHFB2072; Scoc; SCOC\_HUMAN; SCOCO; Short coiled coil protein; Short coiled-coil protein.

研究领域： 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Chicken, Dog, Cow, Rabbit, Sheep, Xenopus laevis

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 18kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human SCOC:81-159/159

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

**产品介绍：** This gene encodes a short coiled-coiled domain-containing protein that localizes to the Golgi apparatus. The encoded protein interacts with ADP-ribosylation factor-like proteins. Pseudogenes of this gene are found on chromosomes 1 and 14. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2009]

**Subcellular Location:**

Nucleus. Golgi apparatus.

**Tissue Specificity:**

Mostly expressed in brain, heart and skeletal muscle.

**Similarity:**

Belongs to the SCOC family.

**SWISS:**

Q9UIL1

**Gene ID:**

60592

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.