



乙酰胆碱酯酶相关蛋白抗体

产品货号 : mlR8248

英文名称 : CUTA

中文名称 : 乙酰胆碱酯酶相关蛋白抗体

别名 : Acetylcholinesterase Associated Protein; Acetylcholinesterase-associated protein; ACHAP; Brain acetylcholinesterase putative membrane anchor; C6ORF82; cutA; CutA Divalent Cation Tolerance Homolog; cutA divalent cation tolerance homolog (E. coli); CUTA_HUMAN; CutA1; divalent cation tolerant protein CUTA; MGC111154; Protein CutA; RP4570F34.

研究领域 : 细胞生物 免疫学 神经生物学

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat, Pig, Cow, Horse, Rabbit,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)



not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 16kDa

细胞定位： 细胞膜 细胞外基质 分泌型蛋白

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human CUTA:65-179/179

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed



产品介绍 : May forms part of a complex of membrane proteins attached to acetylcholinesterase (AChE).

Tissue specificity:Ubiquitous. Widely expressed in brain.

Function:

May form part of a complex of membrane proteins attached to acetylcholinesterase (AChE).

Subunit:

Homotrimer.

Tissue Specificity:

Ubiquitous. Widely expressed in brain.

Similarity:

Belongs to the CutA family.

SWISS:

O60888

Gene ID:

51596

Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

