

Mob1 同源蛋白 MOBKL2C 抗体

产品货号: mlR7915 英文名称: MOBKL2C 中文名称: Mob1 同源蛋白 MOBKL2C 抗体 别 名: Mob1 homolog 2C; MOB3C; Mps One Binder kinase activator like 2C. 研究领域: 细胞生物 信号转导 细胞周期蛋白 激酶和磷酸酶 抗体来源: Rabbit 克隆类型: Polyclonal 交叉反应: Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Rabbit, 产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需

not yet tested in other applications.

做抗原修复)

optimal dilutions/concentrations should be determined by the end user.



分子	量	:	24kDa
细胞定	位	:	细胞浆
性	状	:	Lyophilized or Liquid
浓	度	:	1mg/ml
免 疫	原	:	KLH conjugated synthetic peptide derived from human MOBKL2C:31-110/216
亚	型	:	IgG
纯化方	法	:	affinity purified by Protein A
储存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable

PubMed: PubMed

产品介绍 : MOBKL2C is similar to the yeast Mob1 protein. Yeast Mob1 binds Mps1p, a protein kinase essential for spindle pole body duplication and mitotic checkpoint regulation. Alternatively spliced transcript



variants encoding distinct isoforms have been observed.

applications.

Function:
May regulate the activity of kinases.
Similarity:
Belongs to the MOB1/phocein family.
SWISS:
Q70IA8
Gene ID:
148932
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic