

## 异质核糖核蛋白 C 样蛋白 1 抗体

产品货号： mlR17340

英文名称： hnRNP C-like-1

中文名称： 异质核糖核蛋白 C 样蛋白 1 抗体

别名： Heterogeneous nuclear ribonucleoprotein C-like 1; HNRCL\_HUMAN; hnRNP C-like-1; hnRNP core protein C-like 1; HNRNPCL1; HNRPCL1; RP5-845O24.4.

研究领域： 细胞生物 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 32kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human hnRNP C-like-1:161-260/293

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

**PubMed :** PubMed

**产品介绍 :** May play a role in nucleosome assembly by neutralizing basic proteins such as A and B core hnRNPs.

**Subcellular Location:**

Nucleus. Component of ribonucleosomes.

**Similarity:**

Belongs to the RRM HNRPC family. RALY subfamily.

Contains 1 RRM (RNA recognition motif) domain.

**SWISS:**

O60812

**Gene ID:**

343069

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.