

## MDM1 蛋白抗体

产品货号： mlR18746

英文名称： MDM1

中文名称： MDM1 蛋白抗体

别名： FLJ95264; MDM 1; Mdm1; Mdm1 nuclear protein homolog (mouse); Mdm1 nuclear protein homolog; MDM1\_HUMAN; Mdm4 transformed 3T3 cell double minute 1 p53 binding protein (mouse); Mdm4 transformed 3T3 cell double minute 1 p53 binding protein; Mouse Mdm1 nuclear protein homolog; Nuclear protein double minute 1; Nuclear protein MDM1.

研究领域： 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Pig, Horse,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 81kDa

细胞定位： 细胞核

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human MDM1:81-180/714

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : This gene encodes a nuclear protein similar to the mouse double minute 1 protein. The mouse gene is located in double minute (DM) chromatin particles, is amplified in the mouse transformed 3T3 cell line, and the encoded protein is able to bind to p53. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2011]

**Subcellular Location:**

Nucleus.

**Similarity:**

Belongs to the MDM1 family.

**SWISS:**

Q8TC05

**Gene ID:**

56890

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

**产品图片**

