

环指蛋白 122 抗体

产品货号: mlR7568

英文名称: RNF122

中文名称: 环指蛋白 122 抗体

别 名: RING finger protein 122; RN122_HUMAN; Rnf122.

研究领域: 肿瘤 细胞生物 细胞凋亡

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit,

产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



Good elisakit	producers 4	14×24×

分子量: 17kDa

细胞定位: 细胞浆 细胞膜

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human RNF122:71-155/155

亚 型: IgG

纯化方法: affinity purified by Protein A

储 存 液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed: PubMed

产品介绍: May induce necrosis and apoptosis. May play a role in cell viability.



Subcellular Location:
Golgi apparatus. Endoplasmic reticulum. Membrane; Single-pass membrane protein (Potential).
Tienus Chasifisitus
Tissue Specificity:
Widely expressed in several tissues and cell lines.
Challedon
Similarity:
Contains 1 RING-type zinc finger.
SWISS:
Q9H9V4
Gene ID:
79845
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.
产品图片
· ···· · ·







