

## 环指蛋白 127 抗体

产品货号： mlR18339

英文名称： RNF127/LONRF3

中文名称： 环指蛋白 127 抗体

别 名： FLJ22612; LON peptidase N terminal domain and ring finger 3; LON peptidase N terminal domain and ring finger protein 3; LON peptidase N-terminal domain and RING finger protein 3; LONF3\_HUMAN; LONRF3; MGC119463; MGC119465; OTTHUMP00000023893; RING finger protein 127; RNF127.

研究领域： 肿瘤 细胞生物 转录调节因子 表观遗传学 环指蛋白

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 84kDa

细胞定位： 细胞核

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

**免 疫 原：** KLH conjugated synthetic peptide derived from human RNF127/LONRF3:661-759/759

**亚 型：** IgG

**纯化方法：** affinity purified by Protein A

**储 存 液：** 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

**保存条件：** Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

**PubMed：** PubMed

**产品介绍：** The protein encoded by this gene contains a RING finger domain, a motif present in a variety of functionally distinct proteins and known to be involved in protein-protein and protein-DNA interactions. Multiple alternatively spliced transcript variants have been suggested, but their full length natures are not clear. [provided by RefSeq, Jul 2008]

**Similarity:**

Contains 1 Lon domain.

Contains 2 RING-type zinc fingers.

Contains 4 TPR repeats.

**SWISS:**

Q496Y0

**Gene ID:**

79836



**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.