

溶质载体家族 10 成员 5 抗体

产品货号: mlR24155
英文名称: SLC10A5
中文名称: 溶质载体家族 10 成员 5 抗体
别 名: Na; Na+bile acid cotransporter 5; P5; Sodium/bile acid cotransporter 5 precursor; solute carrifamily 10 (sodium/bile acid cotransporter family) member 5; Solute carrier family 10 member 5.
研究领域: 肿瘤 细胞生物 免疫学 信号转导
抗体来源: Rabbit
克隆类型: Polyclonal
交叉反应: Human, Mouse, Rat,
产品应用: WB=1:500-2000
not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



**	_	_		
分	士	量	:	49kDa

细胞定位: 细胞膜

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from mouse SLC10A5:51-150/434 <Extracellular>

亚 型: IgG

纯化方法: affinity purified by Protein A

储 存 液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

PubMed: PubMed



产品介绍: SLC10A5 is a new member of Solute Carrier Family 10 (SLC10). The SLC10 family consists of six annotated members in humans, comprising two bile acid carriers (SLC10A1 and SLC10A2), one steroid sulfate transporter (SLC10A6), and three orphan carriers (SLC10A3 to SLC10A5). The function of SLC10A5 is currently unknown.

Subcellular Location:
Membrane; Multi-pass membrane protein.
Similarity:
Belongs to the bile acid:sodium symporter (BASS) (TC 2.A.28) family.
SWISS:
Q5PT54
Gene ID:
241877
Important Note:
·
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnosti
applications.