

环指蛋白 138 抗体

产品货号： mlR9254

英文名称： RNF138

中文名称： 环指蛋白 138 抗体

别名： E3 ubiquitin protein ligase RNF138; E3 ubiquitin-protein ligase RNF138; hNARF; HSD 4; HSD4; MGC8758; NARF; Nemo like kinase associated RING finger protein; Nemo-like kinase-associated RING finger protein; NLK associated RING finger protein; NLK-associated RING finger protein; RING finger protein 138; RN138_HUMAN; Rnf138; STRIN.

研究领域： 细胞生物 细胞周期蛋白 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:50-200 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 28kDa

细胞定位： 细胞核

性状： Lyophilized or Liquid

浓度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human RNF138:51-150/245

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed

产品介绍： E3 ubiquitin-protein ligase. Together with NLK, involved in the ubiquitination and degradation of TCF/LEF. Also exhibits auto-ubiquitination activity in combination with UBE2K. May act as a negative regulator in the Wnt/beta-catenin-mediated signaling pathway.

Function:

E3 ubiquitin-protein ligase. Together with NLK, involved in the ubiquitination and degradation of TCF/LEF. Also exhibits auto-ubiquitination activity in combination with UBE2K. May act as a negative regulator in the Wnt/beta-catenin-mediated signaling pathway.

Subunit:

Interacts with NLK.

Post-translational modifications:

Auto-ubiquitinated.

Similarity:

Contains 1 RING-type zinc finger.

SWISS:

Q8WVD3

Gene ID:

51444

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

