

ISLR 蛋白

产品货号: mIR23591
英文名称: ISLR
中文名称 : ISLR 蛋白
别 名: Immunoglobulin Superfamily Containing Leucine Rich Repeat; Mesenchymal Stromal Cell- And Fibroblast-Expressing Linx Paralogue; Immunoglobulin Superfamily Containing Leucine-Rich Repeat Protein; HsT17563; Meflin; ISLR_HUMAN;
研究领域: 免疫学
抗体来源: Rabbit
克隆类型: Polyclonal
交叉反应: Human, Mouse, Rat, Pig, Cow, Horse, Sheep,
产品应用: IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)
not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



分	子	量	:	46kDa
//	J	-	•	TURDA

细胞定位: 分泌型蛋白

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human ISLR:261-360/428

亚 型: lgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

PubMed: PubMed



产品图片

产品介绍: ISLR (Immunoglobulin Superfamily Containing Leucine Rich Repeat) is a Protein Coding gene. Among its related pathways are Response to elevated platelet cytosolic Ca2+. An important paralog of this gene is ISLR2. **Subcellular Location:** Secreted **Tissue Specificity:** Expressed in various tissues including retina, heart, skeletal muscle, prostate, ovary, small intestine, thyroid, adrenal cortex, testis, stomach and spinal cord. **SWISS:** 014498 Gene ID: 3671 **Important Note:** This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.



