

IRGC 蛋白抗体

产品货号： mIR16706

英文名称： IRGC

中文名称： IRGC 蛋白抗体

别 名： F630044M05Rik; Gm1102; Gm474; IIGP5; IIGP5_HUMAN; Immunity-related GTPase cinema 1; Interferon-inducible GTPase 5; IRGC; IRGC1; RGD1311107.

研究领域： 细胞生物 免疫学 信号转导

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Pig, Cow, Horse, Rabbit,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 50kDa

细胞定位： 细胞核 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human IRGC:301-400/463

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : IRGC (Immunity Related GTPase Cinema) is a Protein Coding gene. Diseases associated with IRGC include Solar Retinopathy and Echolalia. GO annotations related to this gene include GTP binding and hydrolase activity, acting on acid anhydrides. An important paralog of this gene is IRGM.

Similarity:

Belongs to the interferon-inducible GTPase family.

SWISS:

Q6NXR0

Gene ID:

56269

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

