

IQCJ 抗体

产品货号:	mIR6102
英文名称:	IQCJ
中文名称:	IQCJ 抗体
	IQCJ-SCHIP1; IQ domain-containing protein J; IQ motif containing J; IQ motif containing protein J; HIP1 fusion gene; IQCJ_HUMAN.
研究领域:	细胞生物 免疫学
抗体来源:	Rabbit
克隆类型:	Polyclonal
交叉反应:	Human, Mouse, Rat, Dog, Pig, Horse, Rabbit, Sheep,
产品应用 : 做抗原修复)	WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需
not yet tested	in other applications.

optimal dilutions/concentrations should be determined by the end user. \\



分	孑	量	:	18kDa
//	J	-	•	TOKDA

细胞定位: 细胞浆 细胞膜

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human IQCJ:31-130/159

亚 型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

PubMed: PubMed

产品介绍 background:

Isoform 5 and isoform 6 are highly expressed in the brain. Both isoforms derive from naturally occurring readthrough transcripts which produce IQCJ-SCHIP1 fusion proteins.



Subcellular Location:
Cytoplasm. Partially colocalizes with NF2 beneath the cytoplasmic membrane.
Challedton
Similarity:
Contains 1 IQ domain.
SWISS:
Q1A5X6
Gene ID:
654502
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.