

## 膜粘连蛋白 8 抗体

产品货号： MLR-20478

英文名称： Annexin A8

中文名称： 膜粘连蛋白 8 抗体

别 名： Annexin A8 like2; AnnexinA8; annexin A8L2; ANXA8; ANXA8L2; Annexin VIII; ANXA8\_HUMAN.

研究领域： 心血管 细胞生物 信号转导 细胞粘附分子 细胞骨架

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat,

产品应用： WB=1:500-2000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 37kDa

细胞定位 : 细胞膜

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human Annexin A8:121-220/327

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

**产品介绍：** Annexin A8 like 2 is a member of the annexin family of evolutionarily conserved  $\text{Ca}^{2+}$  and phospholipid binding proteins. The protein may function as an anticoagulant that indirectly inhibits the thromboplastin-specific complex, and overexpression of this gene has been associated with acute myelocytic leukemia. A highly similar duplicated copy of this gene is found in close proximity on the long arm of chromosome 10.

**Function:**

This protein is an anticoagulant protein that acts as an indirect inhibitor of the thromboplastin-specific complex, which is involved in the blood coagulation cascade.

**Similarity:**

Belongs to the annexin family.

Contains 4 annexin repeats.

**SWISS:**

P13928

**Gene ID:**

244

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

