

致死因子恶性脑瘤样蛋白 4 抗体

产品货号： mIR16881

英文名称： L3MBTL4

中文名称： 致死因子恶性脑瘤样蛋白 4 抗体

别名： 3bt-like 4; A730037L19Rik; D930040M24Rik; FLJ35936; H-l(3)mbt-like protein; HsT1031; l(3)mbt like 4 (Drosophila); l(3)mbt like 4; l(3)mbt-like 4 (Drosophila); l(3)mbt-like 4; L(3)mbt-like 4 protein; L3mbtl4; Lethal (3) malignant brain tumor-like 4 protein.

研究领域： 肿瘤 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Rabbit,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

（石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 71kDa

细胞定位： 细胞核

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human L3MBTL4:121-200/623

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 background:

L3MBTL4 contains 3 MBT repeats and 1 SAM (sterile alpha motif) domain. The exact function of L3MBTL4 remains unknown.

Function:

Putative Polycomb group (PcG) protein. PcG proteins maintain the transcriptionally repressive state of genes, probably via a modification of chromatin, rendering it heritably changed in its expressibility (By similarity).

Subcellular Location:

Nucleus

Similarity:

Contains 3 MBT repeats.

Contains 1 SAM (sterile alpha motif) domain.

SWISS:

Q8IXS3

Gene ID:

91133

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.