



## G 蛋白信号转导调节因子 22 抗体

产品货号 : mlR19860

英文名称 : RGS22

中文名称 : G 蛋白信号转导调节因子 22 抗体

别 名 : FLJ40080; FLJ75004; MGC102908; PRTD-NY2; Regulator of G-protein signaling 22; RGS22; RGS22\_HUMAN.

研究领域 : 细胞生物 信号转导 G 蛋白信号

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat,

产品应用 : ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量 : 150kDa

细胞定位 : 细胞核 细胞浆

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml



免 疫 原 : KLH conjugated synthetic peptide derived from human RGS22:951-1050/1264

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed