



肿瘤/睾丸抗原 12 家族 2 抗体

产品货号 : mlR7017

英文名称 : XAGE2

中文名称 : 肿瘤/睾丸抗原 12 家族 2 抗体

别 名 : Cancer/testis antigen 12.2; CT12.2; G antigen family D 3; G antigen family D member 3; GAGED3; Protein XAGE 2; Protein XAGE2; X antigen family member 2; XAGE 2; XAGE 2 protein; GAGD3_HUMAN.

研究领域 : 肿瘤 免疫学 肿瘤细胞生物标志物

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



分子量： 12.3kDa

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human XAGE2:30-70/111

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： [PubMed](#)

产品介绍： XAGE2 belongs to the GAGE family of genes which are expressed in a variety of tumors and in some fetal and reproductive tissues. XAGE2 is strongly expressed in normal testis, and in Ewing's sarcoma, rhabdomyosarcoma, a breast cancer and a germ cell tumor. Its function is unknown.

Similarity:

Belongs to the GAGE family.

SWISS:

Q96GT9

Gene ID:

9502

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

