



## 趋化素样因子超家族成员 2 抗体

产品货号 : mlR0262

英文名称 : CMTM2

中文名称 : 趋化素样因子超家族成员 2 抗体

别 名 : Chemokine like factor super family 2; Chemokine like factor superfamily 2; Chemokine like factor superfamily member 2; CKLF like MARVEL transmembrane domain containing; CKLF like MARVEL transmembrane domain containing protein 2; CKLFSF2; CMTM 2; CMTM2; CMTM-2; CKLF2\_HUMAN.

研究领域 : 肿瘤 细胞生物 免疫学 发育生物学 信号转导

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human,

产品应用 : IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量 : 27kDa

细胞定位 : 细胞膜

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human CKLFSF2:23-100/248

亚 型 : IgG



纯化方法 : affinity purified by Protein A

储存液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : This gene belongs to the chemokine-like factor gene superfamily, a novel family that links the chemokine and the transmembrane 4 superfamilies of signaling molecules. The protein encoded by this gene may play an important role in testicular development. [provided by RefSeq, Jul 2008]

**Subcellular Location:**

Membrane; Multi-pass membrane protein.

**Tissue Specificity:**

Highly expressed in testis.

**Similarity:**

Belongs to the chemokine-like factor family.

Contains 1 MARVEL domain.

**SWISS:**

Q8TAZ6



**Gene ID:**

146225

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.