



肿瘤蛋白 p53 激活蛋白 1 抗体

产品货号 : mlR17159

英文名称 : TP53AP1

中文名称 : 肿瘤蛋白 p53 激活蛋白 1 抗体

别 名 : LINC00096; NCRNA00096; P53TG1; P53TG1 A; P53TG1 D; P53TG1A; P53TG1D; T53G1_HUMAN; TP53 activated protein 1, isoform CRA_b; TP53 target 1 (non-protein coding); TP53 target gene 1; TP53-inducible gene 1 protein; TP53-target gene 1 protein; TP53AP1; TP53TG1; Tumor protein p53 activated protein 1.

研究领域 : 肿瘤 细胞生物 免疫学 肿瘤细胞生物标志物

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500



(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 10kDa

细胞定位： 细胞核

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human TP53AP1:1-50/90

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.



PubMed : PubMed

产品介绍 There are four known isoforms of TP53AP1.

Subcellular Location:

Nuclear

Tissue Specificity:

Isoform 1, isoform 2, isoform 3 and isoform 4 are ubiquitously expressed.

SWISS:

Q9Y2A0

Gene ID:

11257

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.