



结合珠蛋白家族 3A1 抗体

产品货号 : mlR6397

英文名称 : SCGB3A1

中文名称 : 结合珠蛋白家族 3A1 抗体

别 名 : Cytokine high in normal 1; Cytokine HIN-1; Cytokine HIN1; High in normal 1; HIN 1; HIN1; LU105; MGC87867; Pneumo secretory protein 2; PNSP 2; PnSP-2; PNSP2; Secretoglobin family 3A member 1; Secretoglobin family 3A member 1 precursor; Secretoglobin, family 3A, member 1; SG3A1_HUMAN; UGRP2; Uteroglobin related protein 2; Uteroglobin-related protein 2.

研究领域 : 细胞生物 生长因子和激素 细胞周期蛋白 结合蛋白

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human,

产品应用 : ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.



optimal dilutions/concentrations should be determined by the end user.

分子量： 8.2kDa

细胞定位： 分泌型蛋白

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human SCGB3A1:51-104/104

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed



产品介绍 : SCGB3A1 is a potential growth inhibitory cytokine.

Function:

Potential growth inhibitory cytokine.

Subcellular Location:

Secreted.

Tissue Specificity:

Highly expressed in breast tissues. Absent in breast cancer cell lines.

Similarity:

Belongs to the secretoglobin family. UGRP subfamily.

SWISS:

Q96QR1

Gene ID:

92304

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片：

