

四度跨膜蛋白 3 抗体

产品货号： mlR13692

英文名称： MS4A6A

中文名称： 四度跨膜蛋白 3 抗体

别名： 4SPAN3; 4SPAN3.2; CD20 antigen like 3; CD20 like precursor; CD20L3; CDA01; Four span transmembrane protein 3; Four span transmembrane protein 3.1; Four span transmembrane protein 3.2; HAIRB iso; Membrane spanning 4 domains subfamily A member 6A; MS4A6; MS4A6A polymorph; MST090; MSTP090; M4A6A_HUMAN.

研究领域： 细胞生物 信号转导 跨膜蛋白 细胞膜蛋白

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Rat,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

（石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 27kDa

细胞定位： 细胞膜

性状： Lyophilized or Liquid

浓度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human MS4A6A:51-150/248

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed

产品介绍： MS4A6A is a member of the membrane-spanning 4A gene family and may be involved in signal transduction as a component of a multimeric receptor complex. There are three named isoforms.

Function:

May be involved in signal transduction as a component of a multimeric receptor complex.

Subcellular Location:

Membrane; Multi-pass membrane protein.

Tissue Specificity:

Variable expression in some B-cell, myelomonocytic, and erythroleukemia cell lines.

Similarity:

Belongs to the MS4A family.

SWISS:

Q9H2W1

Gene ID:

64231

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

