



四分子交联体1抗体（四旋蛋白）

产品货号： mlR9410

英文名称： TSPAN1

中文名称： 四分子交联体1抗体（四旋蛋白）

别名： Tetraspanin TM4 C; Tetraspanin TM4C; NET 1; NET1; Tetraspan 1; Tetraspan NET 1; Tetraspan NET1; Tetraspanin 1; TM4C; TM4SF; TSPAN 1; Tspan1; TSN1_HUMAN.

研究领域： 肿瘤 细胞生物 信号转导 细胞周期蛋白 细胞膜受体 细胞分化

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 26kDa

细胞定位： 细胞浆 细胞膜

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human TSPAN1:151-250/241 <Extracellular>

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at



room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility.

Subcellular Location:

Lysosome membrane; Multi-pass membrane protein.

Similarity:

Belongs to the tetraspanin (TM4SF) family.

SWISS:

O60635

Gene ID:

10103

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

