

肿瘤睾丸抗原 81 抗体

产品货号： mlR7969

英文名称： ARMC3 (Cancer/testis antigen 81)

中文名称： 肿瘤/睾丸抗原 81 抗体

别名： Armadillo repeat containing 3; Armadillo repeat containing protein 3; ARMC 3; Beta catenin like protein; Cancer/testis antigen 81; CT81; FLJ25845; FLJ32827; KU CT 1; RP11 300B11.1; ARMC3_HUMAN.

研究领域： 肿瘤 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量：96kDa

细胞定位：细胞核 细胞外基质 分泌型蛋白

性状：Lyophilized or Liquid

浓度：1mg/ml

免疫原：KLH conjugated synthetic peptide derived from human ARMC3 (Cancer/testis antigen 81):752-840/872

亚型：IgG

纯化方法：affinity purified by Protein A

储存液：0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件：Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed：PubMed

产品介绍：ARMC3 contains 12 ARM repeats. ARM (Armadillo/beta-catenin-like) domains are imperfect 45-

amino acid repeats involved in protein-protein interactions. ARM domain-containing proteins, such as ARMC3, function in signal transduction, development, cell adhesion and mobility, and tumor initiation and metastasis. The specific function of ARMC3 is not yet known.

Tissue Specificity:

Isoform 2 is expressed in skeletal muscle, brain, lung, kidney, prostate and testis. Isoform 3 is mainly expressed in skeletal muscle, liver, spleen and thymus. Expressed in many cancer tissues and cell lines.

Similarity:

Contains 12 ARM repeats.

SWISS:

Q5W041

Gene ID:

219681

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

