



肿瘤转移抑制蛋白 1

产品货号 : mlR6075

英文名称 : MTSS1

中文名称 : 肿瘤转移抑制蛋白 1

别 名 : metastasis suppressor 1; Metastasis suppressor protein 1; Metastasis suppressor YGL 1; MIM; MIMA; MIMB; missing in metastasis; Missing in metastasis protein; MTSS 1; MTSS1_HUMAN.

研究领域 : 肿瘤 染色质和核信号 信号转导 细胞骨架

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat, Chicken, Dog, Cow, Horse, Rabbit,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



分子量： 82kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human MTSS1:101-200/755

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed

产品介绍 background:



May be related to cancer progression or tumor metastasis in a variety of organ sites, most likely through an interaction with the actin cytoskeleton.

Function:

May be related to cancer progression or tumor metastasis in a variety of organ sites, most likely through an interaction with the actin cytoskeleton.

Subunit:

Binds to actin. Binds to the cytoplasmic domain of receptor protein tyrosine phosphatase delta.

Subcellular Location:

Cytoplasm, cytoskeleton.

Tissue Specificity:

Expressed in many tissues, including spleen, thymus, prostate, testis, uterus, colon, and peripheral blood.

SWISS:

O43312

Gene ID:

9788

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片：

