



生长停滞特异性蛋白 2 家族 3 抗体

产品货号 : mlR23297

英文名称 : GAS2L3

中文名称 : 生长停滞特异性蛋白 2 家族 3 抗体

别 名 : GAS2 like protein 3; Gas2l3; Gm240; Growth arrest specific 2 like 3; Growth arrest specific protein 2 like 3; GA2L3_HUMAN.

研究领域 : 细胞生物 细胞凋亡

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat, Dog, Rabbit,

产品应用 : IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



分子量： 75kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human GAS2L3:251-350/694

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed



产品介绍 : GAS2L3 (Growth arrest-specific 2 like 3) a member of the GAS2 family, is similar in sequence to the mouse protein GAS2, an actin-associated protein expressed at high levels in growth-arrested cells. The specific function of this protein is unknown.

Function:

Cytoskeletal linker protein. May promote and stabilize the formation of the actin and microtubule network.

Subunit:

Interacts (via CH domain) with F-actin. Interacts (via C terminus) with microtubules.

Subcellular Location:

Cytoplasm

Tissue Specificity:

Expressed in the pancreas, heart, liver, placenta, brain, skeletal muscle, kidney and lung.

Similarity:

Belongs to the GAS2 family.

Contains 1 CH (calponin-homology) domain.

Contains 1 GAR domain.

SWISS:

Q86XJ1



Gene ID:

283431

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

