



F-box 富含亮氨酸重复蛋白 4 抗体

产品货号 : mlR13166

英文名称 : FbxL4

中文名称 : F-box 富含亮氨酸重复蛋白 4 抗体

别 名 : F box and leucine rich repeat protein 4; F box protein FBL4/FBL5; F box/LRR repeat protein 4; F-box and leucine-rich repeat protein 4; F-box protein FBL 4; F-box protein FBL4/FBL5; F-box/LRR-repeat protein 4; FBL 4; FBL 5; FBL4; FBL5; Fbxl4; FBXL4_HUMAN.

研究领域 : 细胞生物 细胞周期蛋白 泛素

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat, Chicken, Cow, Sheep,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500
(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量 : 70kDa

细胞定位 : 细胞核 细胞浆

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human FbxL4/FBL4:15-100/621



亚型 : IgG

纯化方法 : affinity purified by Protein A

储存液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fb1s containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fb1s class and, in addition to an F-box, contains at least 9 tandem leucine-rich repeats. [provided by RefSeq, Jul 2008].

Subunit:

Part of a SCF (SKP1-cullin-F-box) protein ligase complex (By similarity).

Subcellular Location:

Cytoplasm. Nucleus.

Tissue Specificity:

Expressed in heart, kidney, liver, lung, pancreas, and placenta, but not in skeletal muscle.

Similarity:

Contains 1 F-box domain.

Contains 9 LRR (leucine-rich) repeats.

SWISS:

Q9UKA2

Gene ID:

26235

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

