

肝细胞源性纤维蛋白原相关蛋白 1FGL1 抗体

产品货号: mlR6894

英文名称: HFREP1

中文名称: 肝细胞源性纤维蛋白原相关蛋白 1/FGL1 抗体

别名: FGL 1; Fgl1; FGL1_HUMAN; Fibrinogen like 1; Fibrinogen like protein 1; Fibrinogen related protein 1; Fibrinogen-like protein 1; Hepassocin; Hepatocellular carcinoma related sequence; Hepatocyte derived fibrinogen related protein 1; Hepatocyte-derived fibrinogen-related protein 1; HFREP 1; HFREP-1; HFREP1; HP 041; HP-041; HP041; LFIRE 1; LFIRE-1; LFIRE1; Liver fibrinogen related protein 1; Liver fibrinogen-related protein 1; MFIRE 1.

研究领域: 心血管 细胞生物 免疫学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Cow, Horse, Sheep,



产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 32kDa

细胞定位: 分泌型蛋白

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human HFREP1/FGL1:251-350/312

亚 型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.



PubMed: PubMed

SWISS:

产品介绍: Fibrinogen-like 1 is a member of the fibrinogen family. This protein is homologous to the carboxy terminus of the fibrinogen beta- and gamma- subunits which contains the four conserved cysteines of fibrinogens and fibrinogen related proteins. However, this protein lacks the platelet-binding site, cross-linking region and a thrombin-sensitive site which are necessary for fibrin clot formation. This protein may play a role in the development of hepatocellular carcinomas. Four alternatively spliced transcript variants encoding the same protein exist for this gene. [provided by RefSeq, Jul 2008].

Function:
Has hepatocyte mitogenic activity.
Subunit:
Homodimer (Probable).
Subcellular Location:
Secreted.
Tissue Specificity:
Liver specific.
Similarity:
Contains 1 fibrinogen C-terminal domain.



applications.

Q08830	
Gene ID:	
2267	
Important Note:	
This product as supplied is intended for research use only, not	for use in human, therapeutic or diagnostic