

LMO7 蛋白抗体

产品货号： mlR18314

英文名称： LMO7

中文名称： LMO7 蛋白抗体

别 名： F box only protein 20; F box protein Fbx20; FBX20; FBXO20; HGNC13591; KIAA0858; LIM domain only 7; LIM domain only protein 7; LMO 7; LOMP; LOMP protein; Zinc finger domain containing protein.

研究领域： 细胞生物 神经生物学 转运蛋白 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

（石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 193kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human LMO7:651-750/1683

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： This gene encodes a protein containing a calponin homology (CH) domain, a PDZ domain, and a LIM domain, and may be involved in protein-protein interactions. Several alternatively spliced transcript variants encoding different isoforms have been found for this gene, however, the full-length nature of some variants is not known. [provided by RefSeq, Jan 2009]

Tissue Specificity:

Widely expressed. Isoform 2 and isoform 4 are predominantly expressed in brain.

Similarity:

Contains 1 CH (calponin-homology) domain.

Contains 1 LIM zinc-binding domain.

Contains 1 PDZ (DHR) domain.

SWISS:

Q8WWI1

Gene ID:

4008

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.