



KRT35 蛋白抗体

产品货号 : mlR16826

英文名称 : KRT35

中文名称 : KRT35 蛋白抗体

别 名 : Hair keratin; Hair keratin, type I Ha5; HHA5; HKA5; K35; Keratin; Keratin, type I cuticular Ha5; Keratin-35; KRT35; KRT35_HUMAN; KRTHA5; type I cuticular Ha5; type I Ha5.

研究领域 : 细胞生物 信号转导

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500
(石蜡切片需做抗原修复)



not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 50kDa

细胞定位： 细胞浆 细胞外基质 分泌型蛋白

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human KRT35:1-100/455

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.



PubMed : PubMed

产品介绍 background:

The protein encoded by this gene is a member of the keratin gene family. This type I hair keratin is an acidic protein which heterodimerizes with type II keratins to form hair and nails. The type I hair keratins are clustered in a region of chromosome 17q12-q21 and have the same direction of transcription. [provided by RefSeq, Jul 2008]

Tissue Specificity:

Early expression in the hair follicle, mainly found in supramatricial cells and lowermost cortical cells of the hair bulb.

Similarity:

Belongs to the intermediate filament family.

SWISS:

Q92764

Gene ID:

3886

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.