

磷酸化异染色质蛋白1抗体(果蝇)

产品货号: mIR0928

英文名称: phospho-heterochromatin protein 1 (pTyr24)

中文名称: 磷酸化异染色质蛋白1抗体(果蝇)

别 名: heterochromatin protein 1 (phospho Tyr24); heterochromatin protein 1 (phospho Y24); Antigen p25; Cbx 5; Cbx5; Chromobox homolog 5 (Drosophila HP1 alpha); Chromobox homolog 5 (HP1 alpha homolog Drosophila); Chromobox homolog 5; Chromobox protein homolog 5; Chromobox protein homologue 5; Heterochromatin protein 1 alpha; Heterochromatin protein 1; Heterochromatin protein 1 homolog alpha; HP 1; HP 1A; HP1 alpha homolog; HP1A; HP1Hs alpha; HP1Hs-alpha.

产品类型: 磷酸化抗体

研究领域: 免疫学 染色质和核信号 昆虫

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Fruit Fly,

产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 23kDa

性 状: Lyophilized or Liquid

浓 度: 1mg/ml



免疫原: KLH conjugated Synthesised phosphopeptide derived from Fruit Fly Heterochromatin protein 1 around the phosphorylation site of Tyr24:EE(p-Y)AV

亚 型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

PubMed: PubMed

产品介绍: HP1 alpha is a component of heterochromatin. It recognizes and binds histone H3 tails methylated at Lys-9, leading to epigenetic repression. HP1 alpha may interact with lamin B receptor (LBR). This interaction can contribute to the association of the heterochromatin with the inner nuclear membrane. HP1 proteins are relatively small proteins (~25 kDa) with a conserved amino-terminal chromo domain and a structurally related carboxy-terminal motif, the chromo shadow domain. Both domains of HP1 are required for binding to native chromatin in vivo, but they contribute differentially to binding in euchromatin and heterochromatin.

SWISS:

P05205

Gene ID:

N/A

Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.