

微粒体谷胱甘肽 S 转移酶 2 抗体

产品货号： mIR18926

英文名称： MGST2

中文名称： 微粒体谷胱甘肽 S 转移酶 2 抗体

别名： FLJ27438; glutathione S transferase, microsomal, 2; GST 2; GST2; MGC14097; MGST 2; MGST II; MGST2; MGST2_HUMAN; MGSTII; Microsomal glutathione S transferase 2; Microsomal glutathione S-transferase 2; Microsomal GST 2; Microsomal GST II.

研究领域： 细胞生物 免疫学 信号转导

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 17kDa

细胞定位： 细胞浆 细胞膜

性状： Lyophilized or Liquid

浓度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human MGST2:21-120/147

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： The MAPEG (Membrane Associated Proteins in Eicosanoid and Glutathione metabolism) family consists of six human proteins, several of which are involved in the production of leukotrienes and prostaglandin E, important mediators of inflammation. This gene encodes a protein which catalyzes the conjugation of leukotriene A4 and reduced glutathione to produce leukotriene C4. Alternatively spliced transcript variants encoding different isoforms have been identified in this gene. [provided by RefSeq, Feb 2011]

Function:

Can catalyze the production of LTC4 from LTA4 and reduced glutathione. Can catalyze the conjugation of 1-chloro-2,4-dinitrobenzene with reduced glutathione.

Tissue Specificity:

Liver, spleen, skeletal muscle, heart, adrenals, pancreas, prostate, testis, fetal liver, and fetal spleen. Very low expression in lung, brain, placenta and bone marrow.

Similarity:

Belongs to the MAPEG family.

SWISS:

Q99735

Gene ID:

4258

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.