

嗅球蛋白 1 抗体

产品货号： mIR2173

英文名称： Noelin

中文名称： 嗅球蛋白 1 抗体

别 名： OLFM1; AMY; D2Sut1e; Neuronal olfactomedin-related ER localized protein; Noe1; Noel; Noel1; Noelin1; OlfA; Olfactomedin 1; Olfm1; Pancortin 1; Pancortin.

研究领域： 细胞生物 神经生物学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Chicken, Horse,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 51kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human Noelin:101-200/485

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： The Olfactomedin family comprises a diverse group of secreted glycoproteins, which includes OLFM1 (Noelin-1), OLFM2 (Noelin-2), OLFM3 (Noelin-3), OLFM4 (Noelin-4), tiarin, pancortin, gliomedin and myocilin. These proteins are implicated in the development of the nervous system. Specifically, OLFM1 and OLFM2 expression is observed in the neural plate and neural crest, as well as in the cranial ganglia in mouse at E8-10, and later in brain tissue and in the zone of polarizing activity in the limb. Overexpression of OLFM1 causes an excess of neural crest emigrations and prolonged neural crest production. OLFM2 participates in the regulation of the development of the anterior nervous system. An Arg144Gln mutation in OLFM2 has been implicated as a possible cause for open-angle glaucoma (OAG).

Function:

Noelins belong to the olfactomedin family, which is comprised of extracellular proteins with proposed roles in neural and neural crest development.

Subcellular Location:

Endoplasmic reticulum lumen.

Similarity:

Contains 1 olfactomedin-like domain.



SWISS:

Q99784

Gene ID:

10439

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.