

跨膜蛋白 66 抗体

产品货号： mlR12663

英文名称： TMEM66

中文名称： 跨膜蛋白 66 抗体

别名： FLJ22274; FOAP 7; HBV X transactivated gene 3 protein; HBV X-transactivated gene 3 protein; HBV XAg-transactivated protein 3; HSPC035; MGC8721; Protein FOAP 7; Protein FOAP-7; TMEM 66; Tmem66; TMM66_HUMAN; Transmembrane protein 66; XTP3.

研究领域： 细胞生物 免疫学 细胞膜蛋白

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 34kDa

细胞定位： 细胞膜

性状： Lyophilized or Liquid

浓度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human TMEM66:221-320/339 <Cytoplasmic>

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed