

同源转录因子 DLX1 抗体

产品货号： mlR6467

英文名称： Dlx1

中文名称： 同源转录因子 DLX1 抗体

别名： Dll B; Distal less homeo box 1; Distal less homeobox 1; Distal-less homeobox gene 1a; Dlx 1; Dlx;
Dlx1; Dlx1 distal-less homeobox 1; DLX1_HUMAN; Homeo box protein DLX1; Homeobox protein DLX 1;
Homeobox protein DLX-1; Homeobox protein Dlx1a; Homeodomain transcription factor DLX1; RP23-419H3.3.

研究领域： 细胞生物 免疫学 神经生物学 干细胞 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Horse, Rabbit,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 Flow-Cyt=1ug/test IF=1:50-
200 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 28kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human Dlx1:101-200/255

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍： Likely to play a regulatory role in the development of the ventral forebrain. May play a role in craniofacial patterning and morphogenesis and may be involved in the early development of diencephalic subdivisions.

Function:

Likely to play a regulatory role in the development of the ventral forebrain. May play a role in craniofacial patterning and morphogenesis and may be involved in the early development of diencephalic subdivisions (By similarity).

Subcellular Location:

Nucleus.

Similarity:

Belongs to the distal-less homeobox family.

Contains 1 homeobox DNA-binding domain.

SWISS:

P56177

Gene ID:

1745

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

