

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

## 铜代谢结构域蛋白 3 抗体

产品货号:	mIR8183
英文名称:	COMMD3
中文名称:	铜代谢结构域蛋白 3 抗体
别 名: ( COMD3_HUM	BUP; C10orf8 antibody COMM domain containing protein 3; DKFZp686K0399; FLJ45471; Protein PIL; 1AN.
研究领域:	细胞生物 免疫学
抗体来源:	Rabbit
克隆类型:	Polyclonal
交叉反应 :	Human, Mouse, Rat, Dog, Cow,
<b>产品应用:</b> 做抗原修复)	WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需



Good elisakit produce	ers 447724

分子量: 22kDa

细胞定位: 细胞核 细胞浆

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human COMMD3:101-195/195

亚 型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed: PubMed

产品介绍: COMMD3 is widely expressed, with highest expression in thymus.



产品图片

Function:
May down-regulate activation of NF-kappa-B.
Subunit:
Interacts (via COMM domain) with COMMD1 (via COMM domain).
Tissue Specificity:
Widely expressed with highest expression in thymus.
Similarity:
Contains 1 COMM domain.
SWISS:
Q9UBI1
Gene ID:
23412
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.



