

## 组蛋白转录调节蛋白1抗体

产品货号: mlR17404

英文名称: HIR1

中文名称: 组蛋白转录调节蛋白 1 抗体

别 名: Histone transcription regulator 1; YBL008W.

研究领域: 细胞生物 转录调节因子 表观遗传学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Saccharomyces cerevisiae

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.



optimal dilutions/concentrations should be determined by the end user.

分子量: 94kDa

细胞定位: 细胞核

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from yeast HIR1:451-550/840

亚 型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20  $^{\circ}$  C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$  C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4  $^{\circ}$  C.

PubMed: PubMed



产品介绍: HIR1 is a member of the HIR complex that also contains HIR2, HIR3 and HPC2. This complex is responsible for the repression of histone gene transcription as well as having a role in nucleosome assembly.

Su	bcellular Location:
Nu	ıclear
sv	VISS:
Р3	2479
Ge	ene ID:
85	2275
lm	portant Note:
Th	is product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
ар	plications.