

钾通道多聚体结构域 KCTD18 抗体

产品货号: mlR10531

英文名称: KCTD18

中文名称: 钾通道多聚体结构域 KCTD18 抗体

别 名: 6530404F10Rik; BTB/POZ domain-containing protein KCTD18; KCD18_HUMAN; KCTD18; Potassium channel tetramerisation domain containing 18; POxvirus and Zinc finger.

研究领域: 肿瘤 神经生物学 通道蛋白 新陈代谢

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Pig, Cow, Horse, Rabbit,

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 47kDa

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human KCTD18:1-100/426



亚型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

PubMed: PubMed

产品介绍 : KCTD18 is a 426 amino acid protein that contains one BTB (POZ) domain, possibly indicating a role in transcription regulation. KCTD18 is expressed as three isoforms produced by alternative splicing.

Similarity:

Contains 1 BTB (POZ) domain.

SWISS:

Q6PI47

Gene ID:

130535

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

