

附睾特异蛋白 9 抗体

产品货号： mIR18197

英文名称： LCN9

中文名称： 附睾特异蛋白 9 抗体

别 名： 9230102I19Rik; Epididymal-specific lipocalin-9; Lcn9; LCN9_HUMAN; MUP-like lipocalin; RGD1306341; RP23-123F7.1.

研究领域： 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 19kDa

细胞定位： 分泌型蛋白

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免疫原 : KLH conjugated synthetic peptide derived from human LCN9:51-150/176

亚型 : IgG

纯化方法 : affinity purified by Protein A

储存液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : Members of the lipocalin family, such as LCN9, have a common structure consisting of an 8-stranded antiparallel beta-barrel that forms a cup-shaped ligand-binding pocket or calyx. Lipocalins generally bind small hydrophobic ligands and transport them to specific cells (Suzuki et al., 2004 [PubMed 15363845]).[supplied by OMIM, Aug 2009]

Subcellular Location:

Secreted.

Similarity:

Belongs to the calycin superfamily. Lipocalin family.

SWISS:

Q8WX39

Gene ID:



392399

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.