

高迁移率族蛋白 20A 抗体

产品货号： mIR18050

英文名称： HMG20A

中文名称： 高迁移率族蛋白 20A 抗体

别名： FLJ10739; High mobility group 20A; High mobility group protein 20A; HM20A_HUMAN; HMG box containing protein 20A; HMG box domain containing 1; HMG box-containing protein 20A; HMG domain protein HMGX1; HMG domain-containing protein 1; HMG domain-containing protein HMGX1; hmg20a; HMGX1; HMGXB1; Hypothetical protein FLJ10739; iBRAF; Inhibitor of BRAF35.

研究领域： 细胞生物 转录调节因子 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Horse, Sheep, Rhesus monkey, Gorilla, Orangutan

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 40kDa

细胞定位： 细胞核

性状： Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human HMG20A:201-300/347

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed