

## 高迁移率族蛋白 N4 抗体

产品货号： mlR18056

英文名称： HMGN4

中文名称： 高迁移率族蛋白 N4 抗体

别名： High mobility group (nonhistone chromosomal) protein 17 like 3; High mobility group nucleosomal binding domain 4; High mobility group nucleosome-binding domain-containing protein 4; High mobility group protein 17 like 3; High mobility group protein N4; HMG17L3; HMGN4; HMGN4\_HUMAN; MGC5145; NHC; Non-histone chromosomal protein; Non-histone chromosomal protein HMG-17-like 3.

研究领域： 细胞生物 转录调节因子 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 9kDa

细胞定位： 细胞核

性状： Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human HMGN4:31-90/90

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

**PubMed :** PubMed

产品介绍 : The protein encoded by this gene, a member of the HMGN protein family, is thought to reduce the compactness of the chromatin fiber in nucleosomes, thereby enhancing transcription from chromatin templates. [provided by RefSeq, Mar 2013]

**Subcellular Location:**

Nucleus.

**Similarity:**

Belongs to the HMGN family.

**SWISS:**

O00479

**Gene ID:**

10473

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.